



GSA 02 0102 Manufacturing:  
General geometrical specifications

GSA 02 0111 Manufacturing:  
Minimum Dimensioned TPD



For all surfaces 

	0,2	A	B	C
--	-----	---	---	---

For all cylindrical holes 

$\oplus$	$\varnothing 0,1$	A	B	C
----------	-------------------	---	---	---

Tolerance on cylindrical hole diameter:  $\pm 0,1$

<b>FIRST ANGLE PROJECTION (EUROPEAN)</b>  	<b>MATERIAL NUMBER</b> 1.4401; AISI 316 ANNEALED	<b>FOR DRAWING INTERPRETATION</b> TPD 00 0000  SCALE 1:1  UNITS mm
	<b>SURFACE / HEAT / AFTER TREATMENT</b> -	
<b>DESCRIPTION</b>  KSC Ceratizit Flange	<b>SURFACE ROUGHNESS (Ra)</b> (UNLESS OTHERWISE SPECIFIED) (UNITS: $\mu\text{m}$ )	1,6
	<b>PART NUMBER</b>	AA 2020-05-20  V1931366
<b>NAME</b> ROGER OP HET VELD	<b>FORMER</b> 12NC	<b>SHEET</b> 110 — 001
<b>CHECKED BY</b>	<b>STATUS</b>	<b>SHEETS</b> 1
<b>NAME</b> CODEVELOPER	<b>DO NOT SCALE DRAWING</b>	